

Species	Paulownia board	Color	Bleached, Natural	Grade	AA, AB,
Thickness	3.0mm-50mm	Width	100mm - 1220mm	Length	300mm - 2500mm
Weight	290—310kgs/m3	HS CODE:4407992090			
Moisture Content	To be within 12-14% at time of shipment.				
Tolerance	From+0.1mm to +0.5mm				
Glue	Environmental friendly hangang glue from Germany				
Glue Type	Enviromental White Emulsion Adhesive				
Usage	Making wooden box, furniture,coffin, snowboard, surf board, wall panel, decorate sauna house, crafts & arts, package, indoor decorating, construction, packing pallets and so on.				
Main Markets	Vietnam, Malaysia, Indonesia, America, France, Italy, Germany, UK, and so on.				
Payment	T/T(30% advance, 70%balance upon B/L Copy in 7days) or L/C at sight				

About paulownia board:

For a lightweight,high-performance board consider using Paulownia lumber.Paulownia is about 2/3 the weight of lightest commercial wood grown in Heze city Shandong province China.

It's weight is about 290-310kgs/m3.Yet paulownia has great strength and is nearly kont-free.It is light-blond in appearance.and will take stain well,allow you to creat a custome look for your board.

We also have FSC paulownia board certification.



Paulownia baord for making furniture /coffin



Plant Layout



Our factory:



Exhibition:

Exhibition

三优
dmsjx.com

318 CÔNG TY TNHH MTV XUẤT NHẬP KHẨU TM GIAI



Contact: Selin zhu

E-mail:selin@sanxinwood.com

Mobile:0086-13869745397

Skype:sanxinwoodb

Wechat:13869745397