

surfboard core balsa paulownia wood

2.Products Detail

| | | |
|------------------|---|-----------------------------------|
| Species | Paulownia | |
| Sizes | Thickness | 3mm-50mm,accept special thickness |
| | Width | 100mm-1220mm |
| | Length | 100mm-5000mm |
| Color | Bleached,Unbleached | |
| Grade | A,AB,B,BC,C (AB grade:with straight laminated line,without knots; BC grade:the laminated line is not so straight,with few knots) | |
| Moisture Content | 8%-12% | |
| Glue Type | Environmental friendly hangang glue from Germany | |
| Packing | Suitable for exporting standard packed by pallets | |
| Delivery Time | 20 days normally after receiving L/C or the deposit | |
| Payment terms | L/C , TT, D/P | |
| Min Order | 1 X 20 GP | |
| Usage | Suitable for high,middle,low grade furniture,like drawers,bed slats,door,Arts&Crafts,decoration,coffin,surfboard,kite board,snowboard etc | |
| Main Markets | Malaysia,Vietnam,Thailand,Indonesia,America,Europe,Japan,Middle East etc | |
| Price | Fob Qingdao or Lianyungang , CIF or CFR | |

3.Packing&Delivery

Packing & delivery



4.



5. About our company

Our company



Exhibition



318 CÔNG TY TNHH MTV XUẤT NHẬP KHẨU TM GIAI



6.

