



□ □□□□□ □□□□□□ □□□□□□ □□□□ □□□□□□ □□□□□ □□□□ □□□□□

1.Products □□□

九信
FSC
SGSHK-COC-011308

www.sanxinwood.com

W[®]三优
dmsjx.com

Dongming Sanxin Wood Industry Co., Ltd



诚信认证 SGSHK-COC-011308

www.sanxinwood.com



Dongming Sanxin Wood Industry Co., Ltd



清和认证 SGSHK-COC-01130B

www.sanxinwood.com



Dongming Sanxin Wood Industry Co., Ltd

3.Products □□□□□□□□

مقدمات السير شريحة:

1. المواد: الحور
2. عرض: MM. 68-36 سماكة: MM. 15-8 الحجم: الطول: 1050-480
3. الغراء: MR, E1, E2, E0
4. منحني نصف قطرها: R2000, R4000, R5000, R8000MM
5. ... وفيتنام، والشرق الأوسط، Amercia، السوق: اليابان، كوريا، أوروبا
6. محتوى الرطوبة: 6-14%
7. الكثافة: 560-540 kg / CBM

L
: 4
: 0
M
W
i
d
e
r
e
n
n
t
i
m
m
u
n
i
t
i
z
a
t
i
o
n
s
a
n
d
i
n
f
l
u
e
n
z
a
v
a
c
c
i
n
e
s
s
i
o
n
s
a
n
d
o
t
h
e
r
v
i
r
u
s
i
n
f
e
c
t
i
o
n
s

3.Packing

九信
FSC
SGSHK-COC-011308

www.sanxinwood.com



三优
dmsjx.com

Dongming Sanxin Wood Industry Co., Ltd

4.

Plant Layout



5.About □□□

Our company



Exhibition



318 CÔNG TY TNHH MTV XUẤT NHẬP KHẨU TM GIAI



Tina Tong

Dongming Sanxin Wood Industry Co.,Ltd

Tel:+86-530-5188306 Fax:+86-530-6208016

Mobile:+86-18705402095

Add: Pengzhuang Datun Dongming

County Shandong China

Skype: tinatong9

Email: tina@sanxinwood.com

