

□□	□□□	□□	□□□ □□	□□	AA□AB□BC
□□	3.0□□-50□□	□□	5□□ - 1220□□	□□	300□□ - 2500□□
□□	290-310kgs /□ □□	<b>HS CODE</b> □4407992090			
<b>FSC</b> □□□ <b>SGSHK-COC-011308</b>					
□□□	□□12-14□□□□□□□□				
□□	□+ -0.1mm□+ -0.5mm				
□□□	□□□□				
□□□□□□□	□□□□□□□□/□□□□□□□□□□□□				
□□□□	□□□□□□□□				
□□	□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□				
□□□□	□□□□□□□□□□□□□□□□□□□□□□□□ □□□				
□□	T / T□□□30□□□B 70□□□/ L□□□7□□□□L / C□□				




www.sanxinwood.com


Dongming Sanxin Wood Industry Co., Ltd



三优木业

SGSHK-COC-011308

[www.sanxinwood.com](http://www.sanxinwood.com)



Dongming Sanxin Wood Industry Co., Ltd



9/8  
505HK/000-011308

[www.sanxinwood.com](http://www.sanxinwood.com)



Dongming Sanxin Wood Industry Co., Ltd



# Plant Layout



# Our company

