

□□	□□□	□□	□□□ □□	□□	AA□AB□BC
□□	3.0□□-50□□	□□	100□□ - 1220□□	□□	- 300mm□□ 2500□□
□□	290-310kgs / □ □□	HS CODE □4407992090			
FSC □□□ SGSHK-COC-011308					
□□□□	□□□□□□□□12-14□□□□□□				
□□	□+ -0.1mm□+ -0.5mm				
□□□□	□□□□				
□□□□□	□□□□□□□□/□□□□□□□□□□□□				
□□□	□□□□□□□□□□□□				
□□	□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□				
□□□□	□□□□□□□□□□□□□□□□□□□□□□□□ □□□				
□□	□L / C T / T□□7□□□30□□□□70□□□□ / L□□□□□□□□□□				







www.sanxinwood.com


三优
dmsjx.com

Dongming Sanxin Wood Industry Co., Ltd




IRGUT04VAL137 60SHK.COC.011308

www.sanxinwood.com



Dongming Sanxin Wood Industry Co., Ltd

Production line



Exhibition

318 CÔNG TY TNHH MTV XUẤT NHẬP KHẨU TM GIAI



Our company



Packing & delivery

