

|                                         |                                                                                                                                                                                   |                            |                      |               |                   |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------|---------------|-------------------|
| <b>Species</b>                          | Paulownia board                                                                                                                                                                   | <b>Color</b>               | Bleached,<br>Natural | <b>Grade</b>  | AA, AB,BC         |
| <b>Thickness</b>                        | 3.0mm-70mm                                                                                                                                                                        | <b>Width</b>               | 100mm - 1220mm       | <b>Length</b> | 300mm -<br>5000mm |
| <b>Weight</b>                           | 290—310kgs/m3                                                                                                                                                                     | <b>HS CODE:</b> 4407992090 |                      |               |                   |
| <b>FSC Certificate:SGSHK-COC-011308</b> |                                                                                                                                                                                   |                            |                      |               |                   |
| <b>Moisture Content</b>                 | To be within 12-14% at time of shipment.                                                                                                                                          |                            |                      |               |                   |
| <b>Tolerance</b>                        | From+-0.1mm to +-0.5mm                                                                                                                                                            |                            |                      |               |                   |
| <b>Place of origin:</b>                 | Shandong China                                                                                                                                                                    |                            |                      |               |                   |
| <b>Packing Details:</b>                 | Plastic bags packed ,with iron /plastic belt outside,wood pallets at the bottom.                                                                                                  |                            |                      |               |                   |
| <b>Glue Type</b>                        | Environmental friendly hangang glue from Germany                                                                                                                                  |                            |                      |               |                   |
| <b>Usage</b>                            | Making wooden box, furniture,coffin, snowboard, surf board, wall panel, decorate sauna house, crafts & arts, package, indoor decorating, construction, packing pallets and so on. |                            |                      |               |                   |
| <b>Main Markets</b>                     | Vietnam, Malaysia, Indonesia, America, France, Italy, Germany, UK, and so on.                                                                                                     |                            |                      |               |                   |
| <b>Payment</b>                          | T/T(30% advance, 70%balance upon B/L Copy in 7days) or L/C at sight                                                                                                               |                            |                      |               |                   |






www.sanxinwood.com



sanxinwood.en.alibaba.com



三优

dmsjx.com

Dongming Sanxin Wood Industry Co., Ltd



SGS HK/OC-011308

[www.sanxinwood.com](http://www.sanxinwood.com)

[sanxinwood.en.alibaba.com](http://sanxinwood.en.alibaba.com)



Dongming Sanxin Wood Industry Co., Ltd

# Our company



# Exhibition

318 CÔNG TY TNHH MTV XUẤT NHẬP KHẨU TM GIAI

