

Détail des produits

Espèces	Paulownia	
Tailles	Épaisseur	3mm-50mm, accepter une épaisseur spéciale
	Largeur	100mm-1220mm
	Longueur	100mm-5000mm
Couleur	Blanchi, non blanchi	
Grade	A, AB, B, C.-B., C (Classe A : avec ligne laminée droite, sans nœuds ; Grade AB : la ligne laminée n'est pas si droite, avec quelques nœuds)	
Teneur en humidité	8%-12%	
Type de colle	Colle Hangang respectueuse de l'environnement d'Allemagne	
Emballage	Convient à l'exportation standard emballée par palettes	
Délai de livraison	20 jours normalement après réception du L/C ou du dépôt	
Modalités de paiement	LC, TTT	
Commande minimum	1 X 20 GP	
Usage	Convient aux meubles de haute, moyenne et basse qualité, comme les tiroirs, les lattes de lit, les portes, les arts et l'artisanat, la décoration, le cercueil, la planche de surf, la planche de cerf-volant, le snowboard, etc.	
Marchés principaux	Europe, Malaisie, Vietnam, Thaïlande, Indonésie, Amérique, Japon, Moyen-Orient, etc.	
Prix	Fob Qingdao ou Lianyungang, CIF ou CFR	



18 years of industry experience

Professional Design Production Team

we uphold the customer first attitude to serve
our every customer,look forward to working
with you!



OUR ADVANTAGES

Natural Wood Environmental Glue



OWN FACTORY

With many years of production
history and a professional
technical team



HIGH QUALITY

We are manufacturers direct
sales, with strict quality control



FAVORABLE PRICE

Cheap and affordable with no
compromise on quality



CLIENT SERVICE

Professional Customer
Service



SUPPORT CUSTOMIZATION

Customized products according
to your needs



QUALITY WOOD


Selection of wood ensures the
quality of the product



Woodland

PRODUCT SHOWCASE

Natural Wood Environmental Glue



*Paulownia edge
glued boards
extremely light
natural
texture*

01

STRONG AND
ENVIRONMENTAL
GLUE

02

TASTLESS
AND
ANTI-CORROSION

03

SMOOTHLY
SURFACE

04

STRAIGHT
EDGES

Product Details

Excellent
quality

—
Rigorous structure and fine workmanship

1

PAULOWNIA FINGER JOINT BOARD



Low weight and good stability




2

SOLID WOOD BATTEN



Natural color, fine texture. customized
size with grooving is accepted



3

PAULOWNIA BOARD WITH EMBOSSING



Extremely light and fine texture Tasteless and
resistance to wear.
The best choice for decoration.



PRODUCTION PROCESS



Air dry for about 2-3 months



Glue joint



Sanding surface



Cutting



Inspect piece by piece



Package



Loading







