

Détails de produits

Espèces	Paulownia	
Tailles	Épaisseur	3 mm-50 mm, accepter une épaisseur spéciale
	Largeur	100 mm-1220 mm
	Longueur	100 mm-5000 mm
Couleur	Blanchi, non blanchi	
Grade	A, AB, B, BC, C (Une note: avec une ligne laminée droite, sans nœuds; Grade AB: La ligne laminée n'est pas si droite, avec peu de nœuds)	
Teneur en humidité	8% -12%	
Type de colle	Gue de hangang adaptée à l'environnement de l'Allemagne	
Emballage	Convient pour l'exportation standard emballé de palettes	
Délai de livraison	20 jours normalement après avoir reçu L / C ou le dépôt	
Conditions de paiement	L / C, TT	
Commande min	1 x 20 gp	
Usage	Convient pour les meubles hauts, moyens et de bas niveau, comme les tiroirs, les lattes de lit, la porte, les arts et l'artisanat, la décoration, le cercueil, la planche de surf, la planche de cerf-volant, le snowboard, etc.	
Marchés principaux	Europe, Malaisie, Vietnam, Thaïlande, Indonésie, Amérique, Japon, Moyen-Orient, etc.	
Prix	FOB Qingdao ou Lianyungang, CIF ou CFR	

Product Details

Excellent
quality

—
Rigorous structure and fine workmanship

1

PAULOWNIA FINGER JOINT BOARD



Low weight and good stability




2

SOLID WOOD BATTEN



Natural color, fine texture. customized
size with grooving is accepted



3

PAULOWNIA BOARD WITH EMBOSSING



Extremely light and fine texture Tasteless and
resistance to wear.
The best choice for decoration.

