

|                      |  |                                     |
|----------------------|--|-------------------------------------|
| Specie               | Paulownia  |                                     |
| Dimensioni           | Spessore   | 3mm-50mm, accetta spessori speciali |
|                      | Larghezza  | 100mm-1220mm                        |
|                      | Lunghezza  | 100mm-5000mm                        |
| Colore               | Sbiancato, non sbiancato   |                                     |
| Grado                | A, AB, B, BC, C<br>(Grado A: con linea dritta laminata, senza nodi;<br>Grado AB: la linea laminata non è così dritta, con pochi nodi)  |                                     |
| Contenuto di umidità | 8%-12%   |                                     |
| Tipo di colla        | Colla Hangang ecologica dalla Germania   |                                     |
| Imballaggio          | Adatto per l'esportazione di standard imballati su pallet  |                                     |
| Tempi di consegna    | 20 giorni normalmente dopo aver ricevuto L/C o il deposito   |                                     |
| Termini di pagamento | L/C, TT  |                                     |
| Ordine minimo        | 1x20 GP  |                                     |
| Utilizzo             | Adatto per mobili di alta, media e bassa qualità, come cassette, doghe del letto, porte, arti e mestieri, decorazioni, bara, tavole da surf, tavole da kitesurf, snowboard, ecc. |                                     |
| Mercati principali   | Europa, Malesia, Vietnam, Tailandia, Indonesia, America, Giappone, Medio Oriente ecc   |                                     |
| Prezzo               | Fob Qingdao o Lianyungang, CIF o CFR   |                                     |





# 18 years of industry experience

Professional Design Production Team

we uphold the customer first attitude to serve our every customer, look forward to working with you!



## OUR ADVANTAGES

Natural Wood Environmental Glue



### OWN FACTORY

With many years of production history and a professional technical team



### HIGH QUALITY

We are manufacturers direct sales, with strict quality control



### FAVORABLE PRICE

Cheap and affordable with no compromise on quality



### CLIENT SERVICE

Professional Customer Service



### SUPPORT CUSTOMIZATION

Customized products according to your needs



### QUALITY WOOD

Selection of wood ensures the quality of the product



# Woodland

## PRODUCT SHOWCASE

Natural Wood Environmental Glue



01

STRONG AND  
ENVIRONMENTAL  
GLUE

02

TASTLESS  
AND  
ANTI-CORROSION

03

SMOOTHLY  
SURFACE

04

STRAIGHT  
EDGES















# Product Details

Excellent  
quality

Rigorous structure and fine workmanship

1

## PAULOWNIA FINGER JOINT BOARD



Low weight and good stability




2

## SOLID WOOD BATTEN



Natural color, fine texture. customized  
size with grooving is accepted



3

## PAULOWNIA BOARD WITH EMBOSSING



Extremely light and fine texture Tasteless and  
resistance to wear.  
The best choice for decoration.



# PRODUCTION PROCESS



Air dry for about 2-3 months



Glue joint



Sanding surface



Cutting



Inspect piece by piece



Package



Loading



# FAQ

## Natural Wood Environmental Glue

**Q** Are you a trader or factory?

**A** We are a more than 20 years exported experiences professional factory.

**Q** Can I get some free samples?

**A** Samples are available if necessary.

**Q** What is the production lead time for the full order ?

**A** It takes about 15 to 25 days for regular specifications, about 30 days for customized specifications.

**Q** What kind of payment do you accept ?

**A** T/T, L/C, Western Union.

**Q** How to ship the goods?

**A** Usually by sea or train.