

Dettaglio Prodotti

Specie	Paulownia	
Dimensioni	Spessore	3mm-50mm, accetta spessori speciali
	Larghezza	100mm-1220mm
	Lunghezza	100mm-5000mm
Colore	Sbiancato, non sbiancato	
Grado	A, AB, B, BC, C (Grado A: con linea dritta laminata, senza nodi; Grado AB: la linea laminata non è così dritta, con pochi nodi)	
Contenuto di umidità	8%-12%	
Tipo di colla	Colla Hangang ecologica dalla Germania	
Imballaggio	Adatto per l'esportazione di standard imballati su pallet	
Tempi di consegna	20 giorni normalmente dopo aver ricevuto L/C o il deposito	
Termini di pagamento	L/C, TT	
Ordine minimo	1x20 GP	
Utilizzo	Adatto per mobili di alta, media e bassa qualità, come cassetti, doghe del letto, porte, arti e mestieri, decorazioni, bara, tavole da surf, tavole da kitesurf, snowboard, ecc.	
Mercati principali	Europa, Malesia, Vietnam, Tailandia, Indonesia, America, Giappone, Medio Oriente ecc	
Prezzo	Fob Qingdao o Lianyungang, CIF o CFR	



18 years of industry experience

Professional Design Production Team

we uphold the customer first attitude to serve
our every customer,look forward to working
with you!



OUR ADVANTAGES

Natural Wood Environmental Glue



OWN FACTORY

With many years of production
history and a professional
technical team



HIGH QUALITY

We are manufacturers direct
sales, with strict quality control



FAVORABLE PRICE

Cheap and affordable with no
compromise on quality



CLIENT SERVICE

Professional Customer
Service



SUPPORT CUSTOMIZATION

Customized products according
to your needs



QUALITY WOOD


Selection of wood ensures the
quality of the product



Woodland

PRODUCT SHOWCASE

Natural Wood Environmental Glue



*Paulownia edge
glued boards
extremely light
natural
texture*

01

STRONG AND
ENVIRONMENTAL
GLUE

02

TASTLESS
AND
ANTI-CORROSION

03

SMOOTHLY
SURFACE

04

STRAIGHT
EDGES

Product Details

Excellent
quality

—
Rigorous structure and fine workmanship

1

PAULOWNIA FINGER JOINT BOARD



Low weight and good stability




2

SOLID WOOD BATTEN



Natural color, fine texture. customized
size with grooving is accepted




3

PAULOWNIA BOARD WITH EMBOSSING



Extremely light and fine texture Tasteless and
resistance to wear.
The best choice for decoration.



PRODUCTION PROCESS



Air dry for about 2-3 months



Glue joint



Sanding surface



Cutting



Inspect piece by piece



Package



Loading





