

Dettaglio prodcut

Specie	Paulownia	
Dimensioni	Spessore	3 mm-50 mm, accetta uno spessore speciale
	Larghezza	100mm-1220mm
	Lunghezza	100mm-5000mm
Colore	Sbiancato, non sbiancato	
Grado	A, AB, B, BC, C. (Un grado: con linea laminata dritta, senza nodi; Grado AB: la linea laminata non è così dritta, con pochi nodi)	
Contenuto di umidità	8%-12%	
Tipo di colla	Coco Hangang e ambientale dalla Germania	
Imballaggio	Adatto per l'esportazione di standard confezionati dai pallet	
Tempi di consegna	20 giorni normalmente dopo aver ricevuto L/C o il deposito	
Termini di pagamento	L/c, tt	
Min Order	1 x 20 GP	
Utilizzo	Adatto per mobili di alto, medio, di basso grado, come cassetti, doghe, porta, arti e mestieri, decorazioni, bara, tavola da surf, tavolo da aquilone, snowboard ecc	
Mercati principali	Europa, Malesia, Vietnam, Tailandia, Indonesia, America, Giappone, Medio Oriente ecc	
Prezzo	FOB Qingdao o Lianyungang, CIF o CFR	

Product Details

Excellent
quality

Rigorous structure and fine workmanship

1

PAULOWNIA FINGER JOINT BOARD



Low weight and good stability




2

SOLID WOOD BATTEN



Natural color, fine texture. customized
size with grooving is accepted



3

PAULOWNIA BOARD WITH EMBOSSING



Extremely light and fine texture Tasteless and
resistance to wear.
The best choice for decoration.

