Dettaglio Prodotti

Specie		Paulownia
Dimensioni	Spessore	3mm-50mm, accetta spessori speciali
	Larghezza	100mm-1220mm
	Lunghezza	100mm-5000mm
Colore		Sbiancato, non sbiancato
Grado		A, AB, B, BC, C (Grado A: con linea dritta laminata, senza nodi; Grado AB: la linea laminata non è così diritta, con pochi nodi)
Contenuto di umidità		8%-12%
Tipo di colla		Colla Hangang ecologica dalla Germania
Imballaggio		Adatto per l'esportazione di standard imballati su pallet
Tempi di consegna		20 giorni normalmente dopo aver ricevuto L/C o il deposito
Termini di pagamento		L/C, TT
Ordine minimo		1x20 GP
Utilizzo		Adatto per mobili di alta, media e bassa qualità, come cassetti, doghe del letto, porte, arti e mestieri, decorazioni, bara, tavole da surf, tavole da kitesurf, snowboard, ecc.
Mercati principali		Europa, Malesia, Vietnam, Tailandia, Indonesia, America, Giappone, Medio Oriente ecc
Prezzo		Fob Qingdao o Lianyungang, CIF o CFR

中科汇材
TMALLWOOD

18 years
of industry experience

Professional Design Production Team

we uphold the customer first attitude to serve our every customer,look forward to working with you!

OUR ADVANTAGES

Natural Wood Environmental Glue

OWN FACTORY
With many years of production history and a professional technical team

HIGH QUALITY
We are manufacturers direct sales, with strict quality control

FAVORABLE PRICE
Cheap and affordable with no compromise on quality

CLIENT SERVICE
Professional Customer Service

SUPPORT CUSTOMIZATION
Customized products according to your needs

QUALITY WOOD
Selection of wood ensures the quality of the product

Product Details

Excellent quality

Rigorous structure and fine workmanship

1

PAULOWNIA FINGER JOINT BOARD

Low weight and good stability



2

SOLID WOOD BATTEN

Natural color,fine texture. cutomized size with grooving is accepted

3

PAULOWNIA BOARD WITH EMBOSSING

Extremely light and fine texture Tasteless and resistance to wear.
The best choice for decoration.

12
%
PT-90E
数字式木材测湿仪
测试