FSC certificated Paulownia wood planks

Species	*Paulownia board*	*Color*	*Bleached, Natural*	*Grade*	*AA, AB,*
Thickness	*3.0mm-50mm*	*Width*	*100mm - 1220mm*	*Length*	*300mm - 2500mm*
Weight	*290—310kgs/m3*	*HS CODE:4407992090*			
FSC Certificate:SGSHK-COC-011308					
Moisture Content	*To be within 12-14% at time of shipment.*				
Tolerance	*From+-0.1mm to +-0.5mm*				
Glue	*Environmental friendly hangang glue from Germany*				
Glue Type	*Enviromental White Emulsion Adhesive*				
Usage	*Making wooden box, furniture,coffin, snowboard, surf board, wall panel, decorate sauna house, crafts & arts, package, indoor decorating, construction, packing pallets and so on.*				
Main Markets	*Vietnam, Malaysia, Indonesia, America, France, Italy, Germany, UK, and so on.*				
Payment	*T/T(30% advance, 70%balance upon B/L Copy in 7days) or L/C at sight*				

About paulownia board:

For a lightweight,hight-performance board consider using Paulownia lumber.Paulownia is about 2/3 the weight of lightest commercial wood grown in Heze city Shandong province China.

It's weight is about 290-310kgs/m3.Yet paulownia has great strength and is nearly kont-free.It is light-blond in appearance.and will take stain well,allow you to creat a custome look for your board.
We also have FSC paulownia board certification.

FSC
SGSHK-COC-011308
三优
dmsjx.com
Dongming Sanxin Wood Industry Co., Ltd

Paulownia baord for making furniture /coffin

Plant Layout

Our factory:

Exhibition:

FSC certification:

Certificate SGSHK-COC-011308

The management system of

Dongming Jiuxin Trading Co.,Ltd.

Pengzhuang Development Zone, Datun Town, Dongming County,
Heze City, Shandong Province, P.R. China

has been assessed and certified as meeting the requirements of

Chain-of-Custody

The company was assessed against the following standards:
FSC-STD-40-004 V2-1 Standard for COC Certification – October 2011

for the products detailed in the scope below

Purchase and sale (Transfer System) of FSC 100% sawn timber, plywood, solid wood board, finger jointed wood and glued laminated timber

This certificate is valid from 20 March 2014 until 19 March 2019
Issue 1. Certified since March 2014
SGS Ref # CN14/10095

Authorised by

SGS Hong Kong Limited Systems & Services Certification
5/F., Manhattan Centre, 8 Kwai Cheong Road,
Kwai Chung, New Territories, Hong Kong
t +(852)2334 4481 f +(852)2333 2257 www.sgs.com

The validity of this certificate shall be verified on http://info.fsc.org/
For the full list of product groups covered by the certificate see http://info.fsc.org/
This certificate itself does not constitute evidence that a particular product supplied by the certificate holder is FSC-certified [or FSC Controlled Wood]. Products offered, shipped or sold by the certificate holder can only be considered covered by the scope of this certificate when the required FSC claim is clearly stated on invoices and shipping documents
This certificate remains the property of SGS and shall be returned upon request.

FSC
www.fsc.org
FSC® A000523

The mark of responsible forestry

This document is issued by the Company subject to its General Conditions of Certification Services accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. The authenticity of this document may be verified at http://www.sgs.com/en/Our-Company/Certified-Client-Directories/Certified-Client-Directories.aspx. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.