

|                           |                                                                                                  |                    |                 |    |                    |
|---------------------------|--------------------------------------------------------------------------------------------------|--------------------|-----------------|----|--------------------|
| □                         | □□ □□ □□                                                                                         | □                  | □□,<br>□□□      | □□ | AA, AB, BC         |
| □□                        | 3.0MM-50mm                                                                                       | □                  | 100mm - 1,220mm | □□ | 300mm -<br>2,500mm |
| □□                        | 290-310kgs / m <sup>3</sup>                                                                      | HS □□ : 4407992090 |                 |    |                    |
| FSC □□ : SGSHK-COC-011308 |                                                                                                  |                    |                 |    |                    |
| □□ □□                     | □□□ 12~14% □□□□□.                                                                                |                    |                 |    |                    |
| □□ □□                     | + -0.1mm□□ + -0.5mm□                                                                             |                    |                 |    |                    |
| □□□ □□ :                  | □□ □ □□                                                                                          |                    |                 |    |                    |
| □□ □□□ □□ :               | □□ □□□ □□ □ / □□□□ □□, □□□ □□ □□□□ □□.                                                           |                    |                 |    |                    |
| □□□ □□                    | □□□□ □□ □□□ □ □□ □□□                                                                             |                    |                 |    |                    |
| □□                        | □□ □□, □□, □, □□□ □□, □□ □□, □ □□ □□□,<br>□□□ □□□, □□ & A□ □□; □□, □□□, □□ □□,<br>□□, □□□ □□ □□. |                    |                 |    |                    |
| □□ □□                     | □□□, □□□□□, □□□□□, □□, □□□, □□□□□, □□, □□,<br>□□.                                                |                    |                 |    |                    |
| □□                        | □□□ T / T (□□ 30 % □□, B□ 70 %□ □□ / L □□) □□ L / C                                              |                    |                 |    |                    |



通过CQC认证 SGSHK-COC-011308

sanxinwood.7cee.com



Dongming Sanxin Wood Industry Co., Ltd



通值TU2认证 SGSHK-COC-011305


[www.dmsjx.com](http://www.dmsjx.com)

[sanxinwood.en.alibaba.com](http://sanxinwood.en.alibaba.com)



Dongming Sanxin Wood Industry Co., Ltd

# Production line



□□ :

# Our company

