

□	□□ □□ □□	□	□□, □□□	□□	AA, AB, BC
□□	3.0MM-50mm	□	100mm - 1,220mm	□□	300mm - 2,500mm
□□	290-310kgs / m <sup>3</sup>	HS □□ : 4407992090			
FSC □□ : SGSHK-COC-011308					
□□ □□	□□□ 12~14% □□□□□.				
□□ □□	+ -0.1mm□□ + -0.5mm□				
□□□ □□ :	□□ □ □□				
□□ □□□ □□ :	□□ □□□ □□ □ / □□□□ □□, □□□ □□ □□□□ □□.				
□□□ □□	□□□□ □□ □□□ □ □□ □□□				
□□	□□ □□, □□, □, □□□ □□, □□ □□, □ □□ □□□, □□□ □□□, □□ & A□ □□; □□, □□□, □□ □□, □□, □□□ □□ □□.				
□□ □□	□□□, □□□□□, □□□□□, □□, □□□, □□□□□, □□, □□, □□.				
□□	□□□ T / T (□□ 30 % □□, B□ 70 %□ □□ / L □□) □□ L / C				



sanxinwood.7cee.com



Dongming Sanxin Wood Industry Co., Ltd



通值TU2认证 SGSHK-COC-011305


[www.dmsjx.com](http://www.dmsjx.com)

[sanxinwood.en.alibaba.com](http://sanxinwood.en.alibaba.com)



Dongming Sanxin Wood Industry Co., Ltd

# Production line



□□ :

# Our company

