

AA grade high quality paulownia wood for solid wood furniture

2.Products detail

	Paulownia
Thickness	3mm-50mm,accept special thickness
Width	100mm-1220mm
Length	100mm-5000mm
	Bleached,Unbleached
	A,AB,B,BC,C
	(AB grade:with straight laminated line,without knots;
	BC grade:the laminated line is not so straight, with few knots)
re Content	8%-12%
<u> </u>	Environmental friendly hangang glue from Germany
g	Suitable for exporting standard packed by pallets
y Time	20 days normally after receiving L/C or the deposit
nt terms	L/C , TT, D/P
der	1 X 20 GP
	Suitable for high,middle,low grade furniture,like drawers,bed
	slats,door,Arts&Crafts,decoration,coffin,surfboard,kite
	board,snowboard etc
1arkets	Malaysia, Vietnam, Thailand, Indonesia, America, Europe, Japan, Middle
	East etc
	Fob Qingdao or Lianyungang , CIF or CFR
	Thickness Width

3.Packing&delivery

Packing & delivery





4.About us

Our company





Exhibition





5.Plant Layout

Plant Layout





6.

Contact us



Tina Tong

Dongming Sanxin Wood Industry Co.,Ltd

Tel:+86-530-5188306 Fax:+86-530-6208016

Mobile:+86-18705402095

Add:Pengzhuang Datun Dongming
County Shandong China

Skype:tinatong9

Email:tina@sanxinwood.com