

<i>Species</i>	<i>Paulownia board</i>	<i>Color</i>	<i>Bleached, Natural</i>	<i>Grade</i>	<i>AA, AB,</i>
<i>Thickness</i>	<i>3.0mm-50mm</i>	<i>Width</i>	<i>100mm - 1220mm</i>	<i>Length</i>	<i>300mm - 2500mm</i>
<i>Weight</i>	<i>290—310kgs/m3</i>	<i>HS CODE:4407992090</i>			
<i>Moisture Content</i>	<i>To be within 12-14% at time of shipment.</i>				
<i>Tolerance</i>	<i>From+0.1mm to +0.5mm</i>				
<i>Glue</i>	<i>Environmental friendly hangang glue from Germany</i>				
<i>Glue Type</i>	<i>Enviromental White Emulsion Adhesive</i>				
<i>Usage</i>	<i>Making wooden box, furniture,coffin, snowboard, surf board, wall panel, decorate sauna house, crafts & arts, package, indoor decorating, construction, packing pallets and so on.</i>				
<i>Main Markets</i>	<i>Vietnam, Malaysia, Indonesia, America, France, Italy, Germany, UK, and so on.</i>				
<i>Payment</i>	<i>T/T(30% advance, 70%balance upon B/L Copy in 7days) or L/C at sight</i>				

About paulownia board:

For a lightweight,high-performance board consider using Paulownia lumber.Paulownia is about 2/3 the weight of lightest commercial wood grown in Heze city Shandong province China.

It's weight is about 290-310kgs/m3.Yet paulownia has great strength and is nearly kont-free.It is light-blond in appearance.and will take stain well,allow you to creat a custome look for your board.

We also have FSC paulownia board certification.



paulownia solid slats

sanxinwood.en.alibaba.com

Paulownia baord for making furniture /coffin



Plant Layout



Our factory:



Exhibition:

Exhibition

W[®] 三优
dmsjx.com

318 CÔNG TY TNHH MTV XUẤT NHẬP KHẨU TM GIAI



Contact: Selin zhu

E-mail:selin@sanxinwood.com

Mobile:0086-13869745397

Skype:sanxinwoodb

Wechat:13869745397