

## Prodcuts Detail

|                  |   |                                   |
|------------------|---|-----------------------------------|
| Species          | Paulownia   |                                   |
| Sizes            | Thickness   | 3mm-50mm,accept special thickness |
|                  | Width   | 100mm-1220mm                      |
|                  | Length  | 100mm-5000mm                      |
| Color            | Bleached,Unbleached   |                                   |
| Grade            | A,AB,B,BC,C<br>(A grade:with straight laminated line,without knots;<br>AB grade:the laminated line is not so straight,with few knots)           |                                   |
| Moisture Content | 8%-12%  |                                   |
| Glue Type        | Environmental friendly hangang glue from Germany  |                                   |
| Packing          | Suitable for exporting standard packed by pallets   |                                   |
| Delivery Time    | 20 days normally after receiving L/C or the deposit   |                                   |
| Payment terms    | L/C , TT  |                                   |
| Min Order        | 1 X 20 GP   |                                   |
| Usage            | Suitable for high,middle,low grade furniture,like drawers,bed<br>slats,door,Arts&Crafts,decoration,coffin,surfboard,kite<br>board,snowboard etc |                                   |
| Main Markets     | Europe,Malaysia,Vietnam,Thailand,Indonesia,America,Japan,Middle East etc  |                                   |
| Price            | Fob Qingdao or Lianyungang , CIF or CFR   |                                   |









