

Species	Paulownia	
Sizes	Thickness	3mm-50mm,accept special thickness
	Width	100mm-1220mm
	Length	100mm-5000mm
Color	Bleached,Unbleached	
Grade	A,AB,B,BC,C (A grade:with straight laminated line,without knots; AB grade:the laminated line is not so straight,with few knots)	
Moisture Content	8%-12%	
Glue Type	Environmental friendly hangang glue from Germany	
Packing	Suitable for exporting standard packed by pallets	
Delivery Time	20 days normally after receiving L/C or the deposit	
Payment terms	L/C , TT	
Min Order	1 X 20 GP	
Usage	Suitable for high,middle,low grade furniture,like drawers,bed slats,door,Arts&Crafts,decoration,coffin,surfboard,kite board,snowboard etc	
Main Markets	Europe,Malaysia,Vietnam,Thailand,Indonesia,America,Japan,Middle East etc	
Price	Fob Qingdao or Lianyungang , CIF or CFR	





# 18 years of industry experience

Professional Design Production Team

we uphold the customer first attitude to serve  
our every customer,look forward to working  
with you!



## OUR ADVANTAGES

Natural Wood Environmental Glue



### OWN FACTORY

With many years of production  
history and a professional  
technical team



### HIGH QUALITY

We are manufacturers direct  
sales, with strict quality control



### FAVORABLE PRICE

Cheap and affordable with no  
compromise on quality



### CLIENT SERVICE

Professional Customer  
Service



### SUPPORT CUSTOMIZATION

Customized products according  
to your needs



### QUALITY WOOD


Selection of wood ensures the  
quality of the product



# Woodland

## PRODUCT SHOWCASE

Natural Wood Environmental Glue



*Paulownia edge  
glued boards  
extremely light  
natural  
texture*

01

STRONG AND  
ENVIRONMENTAL  
GLUE

02

TASTLESS  
AND  
ANTI-CORROSION

03

SMOOTHLY  
SURFACE

04

STRAIGHT  
EDGES















# Product Details

Excellent  
quality

Rigorous structure and fine workmanship

1

## PAULOWNIA FINGER JOINT BOARD



Low weight and good stability




2

## SOLID WOOD BATTEN



Natural color, fine texture. customized  
size with grooving is accepted



3

## PAULOWNIA BOARD WITH EMBOSSING



Extremely light and fine texture Tasteless and  
resistance to wear.  
The best choice for decoration.



# PRODUCTION PROCESS



Air dry for about 2-3 months



Glue joint



Sanding surface



Cutting



Inspect piece by piece



Package



Loading



# FAQ

Natural Wood Environmental Glue

**Q** Are you a trader or factory?

**A** We are a more than 20 years exported experiences professional factory.

**Q** Can I get some free samples?

**A** Samples are available if necessary.

**Q** What is the production lead time for the full order ?

**A** It takes about 15 to 25 days for regular specifications, about 30 days for customized specifications.

**Q** What kind of payment do you accept ?

**A** T/T, L/C, Western Union.

**Q** How to ship the goods?

**A** Usually by sea or train.