

Dongming Sanxin Wood Industry Co., Ltd







C		D 1 .
Species		Paulownia
Sizes	Thickness	3mm-50mm,accept special thickness
	Width	100mm-1220mm
	Length	100mm-5000mm
Color		Bleached, Unbleached
Grade		A,AB,B,BC,C
		(AB grade:with straight laminated line,without knots;
		BC grade:the laminated line is not so straight, with few knots)
Moisture Content		8%-12%
Glue Type		Environmental friendly hangang glue from Germany
Packing		Suitable for exporting standard packed by pallets
Delivery Time		20 days normally after receiving L/C or the deposit
Payment terms		L/C , TT, D/P
Min Order		1 X 20 GP
Usage		Suitable for high, middle, low grade furniture, like
		drawers, bedslats, door, Arts & Crafts, decoration, coffin, surfboard, kite
		board,snowboard etc
Main N	Markets	Malaysia, Vietnam, Thailand, Indonesia, America, Europe, Japan, Middle
		East etc
Price		Fob Qingdao or Lianyungang , CIF or CFR

3.Packing&Delivery

Packing & delivery





4.Plant Layout

Plant Layout





5. About our company

Our company















Exhibition













Contact us



Tina Tong
Dongming Sanxin Wood Industry Co.,Ltd
Tel:+86-530-5188306 Fax:+86-530-6208016
Mobile:+86-18705402095
Add:Pengzhuang Datun Dongming
County Shandong China
Skype:tinatong9

Email:tina@sanxinwood.com