

Detalhe dos produtos

Espécies	Paulownia	
Tamanhos	Grossura	3mm-50mm, aceita espessura especial
	Largura	100mm-1220mm
	Comprimento	100mm-5000mm
Cor	Branqueado, Não Branqueado	
Nota	A,AB,B,BC,C (Grau A: com linha reta laminada, sem nós; Grau AB: a linha laminada não é tão reta, com poucos nós)	
Conteúdo de umidade	8%-12%	
Tipo de cola	Cola hangang ecológica da Alemanha	
Embalagem	Adequado para exportação embalado padrão em paletes	
Prazo de entrega	20 dias normalmente após ter recebido L/C ou o depósito	
Termos de pagamento	L/C, TT	
Ordem mínima	1 X 20 GP	
Uso	Adequado para móveis de alta, média e baixa qualidade, como gavetas, ripas de cama, portas, artes e ofícios, decoração, caixão, prancha de surf, prancha de kite, snowboard etc.	
Principais Mercados	Europa, Malásia, Vietnã, Tailândia, Indonésia, América, Japão, Oriente Médio etc.	
Preço	Fob Qingdao ou Lianyungang, CIF ou CFR	



18 years of industry experience

Professional Design Production Team

we uphold the customer first attitude to serve
our every customer,look forward to working
with you!



OUR ADVANTAGES

Natural Wood Environmental Glue



OWN FACTORY

With many years of production
history and a professional
technical team



HIGH QUALITY

We are manufacturers direct
sales, with strict quality control



FAVORABLE PRICE

Cheap and affordable with no
compromise on quality



CLIENT SERVICE

Professional Customer
Service



SUPPORT CUSTOMIZATION

Customized products according
to your needs



QUALITY WOOD


Selection of wood ensures the
quality of the product



Woodland

PRODUCT SHOWCASE

Natural Wood Environmental Glue



*Paulownia edge
glued boards
extremely light
natural
texture*

01

STRONG AND
ENVIRONMENTAL
GLUE

02

TASTLESS
AND
ANTI-CORROSION

03

SMOOTHLY
SURFACE

04

STRAIGHT
EDGES

Product Details

Excellent
quality

Rigorous structure and fine workmanship

1

PAULOWNIA FINGER JOINT BOARD



Low weight and good stability




2

SOLID WOOD BATTEN



Natural color, fine texture. customized
size with grooving is accepted



3

PAULOWNIA BOARD WITH EMBOSSING



Extremely light and fine texture Tasteless and
resistance to wear.
The best choice for decoration.



PRODUCTION PROCESS



Air dry for about 2-3 months



Glue joint



Sanding surface



Cutting



Inspect piece by piece



Package



Loading







