

Fsc certified surfboard core balsa paulownia wood

1.Products Pictures







2.Products Detail

| Species | | Paulownia |
|------------------|-----------|---|
| Sizes | Thickness | 3mm-50mm,accept special thickness |
| | Width | 100mm-1220mm |
| | Length | 100mm-5000mm |
| Color | | Bleached,Unbleached |
| Grade | | A,AB,B,BC,C |
| | | (AB grade:with straight laminated line,without knots; |
| | | BC grade:the laminated line is not so straight, with few knots) |
| | | |
| | | |
| Moisture Content | | 8%-12% |
| Glue Type | | Environmental friendly hangang glue from Germany |
| Packing | | Suitable for exporting standard packed by pallets |
| Delivery Time | | 20 days normally after receiving L/C or the deposit |
| Payment terms | | L/C , TT, D/P |
| Min Order | | 1 X 20 GP |

| Usage | Suitable for high, middle, low grade furniture, like drawers, bed |
|--------------|--|
| | slats,door,Arts&Crafts,decoration,coffin,surfboard,kite |
| | board,snowboard etc |
| Main Markets | Malaysia, Vietnam, Thailand, Indonesia, America, Europe, Japan, Middle |
| | East etc |
| Price | Fob Qingdao or Lianyungang , CIF or CFR |

3.Packing&Delivery

Packing & delivery





4.

Plant Layout





5. About our company

Our company















Exhibition













Contact us



Tina Tong
Dongming Sanxin Wood Industry Co.,Ltd
Tel:+86-530-5188306 Fax:+86-530-6208016
Mobile:+86-18705402095

Add:Pengzhuang Datun Dongming County Shandong China

Skype:tinatong9

Email:tina@sanxinwood.com