

Chi tiết sản phẩm cùng loại

Giống loài		Paulownia
Kích cỡ	độ dày	3mm-50mm, chấp nhận độ dày đặc biệt
	Chiều rộng	100mm-1220mm
	Chiều dài	100mm-5000mm
Màu sắc		tẩy trắng, không tẩy trắng
Cấp		A,AB,B,BC,C (Loại A: có đường thẳng, không có nút thắt; Lớp AB: đường nhiều lớp không quá thẳng, có vài nút thắt)
Độ ẩm		8%-12%
Loại keo		Keo hangang thân thiện với môi trường từ Đức
đóng gói		Thích hợp cho tiêu chuẩn xuất khẩu đóng gói bằng pallet
Thời gian giao hàng		20 ngày thông thường sau khi nhận được L/C hoặc tiền đặt cọc
điều khoản thanh toán		L/C, TT
Đơn hàng tối thiểu		1 X 20 GP
Cách sử dụng		Thích hợp cho đồ nội thất cao cấp, trung bình, cấp thấp, như ngăn kéo, thanh giường, cửa, Nghệ thuật & Thủ công, trang trí, quan tài, ván lướt sóng, ván điều, ván trượt tuyết, v.v.
Thị trường chính		Châu Âu, Malaysia, Việt Nam, Thái Lan, Indonesia, Mỹ, Nhật Bản, Trung Đông, v.v.
Giá		Fob Thanh Đảo hoặc Liên Vân Cảng, CIF hoặc CFR



18 years of industry experience

Professional Design Production Team

we uphold the customer first attitude to serve
our every customer,look forward to working
with you!



OUR ADVANTAGES

Natural Wood Environmental Glue



OWN FACTORY

With many years of production
history and a professional
technical team



HIGH QUALITY

We are manufacturers direct
sales, with strict quality control



FAVORABLE PRICE

Cheap and affordable with no
compromise on quality



CLIENT SERVICE

Professional Customer
Service



SUPPORT CUSTOMIZATION

Customized products according
to your needs



QUALITY WOOD


Selection of wood ensures the
quality of the product



Woodland

PRODUCT SHOWCASE

Natural Wood Environmental Glue



*Paulownia edge
glued boards
extremely light
natural
texture*

01

STRONG AND
ENVIRONMENTAL
GLUE

02

TASTLESS
AND
ANTI-CORROSION

03

SMOOTHLY
SURFACE

04

STRAIGHT
EDGES

Product Details

Excellent
quality

Rigorous structure and fine workmanship

1

PAULOWNIA FINGER JOINT BOARD



Low weight and good stability




2

SOLID WOOD BATTEN



Natural color, fine texture. customized
size with grooving is accepted



3

PAULOWNIA BOARD WITH EMBOSSING



Extremely light and fine texture Tasteless and
resistance to wear.
The best choice for decoration.



PRODUCTION PROCESS



Air dry for about 2-3 months



Glue joint



Sanding surface



Cutting



Inspect piece by piece



Package



Loading





